

ZONING PLAN GENERAL NOTES

- THIS PLAN REFERENCES DOCUMENTS AND INFORMATION BY:
 - ALTA / NSPS LAND TITLE SURVEY PREPARED FOR JOHNSON DEVELOPMENT ASSOCIATES, INC. PREPARED BY: CONTROL POINT ASSOCIATES, INC. DATED: 5-28-2019
 - THIS CONCEPT WAS PREPARED STRICTLY BASED UPON INFORMATION IDENTIFIED ABOVE.
 - THE CONCEPT REPRESENTED HEREIN IDENTIFIES A DESIGN CONCEPT RESULTING FROM LAYOUT PREFERENCES IDENTIFIED BY THE OWNER COUPLED WITH A PRELIMINARY REVIEW OF ZONING AND LAND DEVELOPMENT REQUIREMENTS AND ISSUES. THE FEASIBILITY WITH RESPECT TO OBTAINING LOCAL, COUNTY, STATE, AND OTHER APPLICABLE APPROVALS ARE NOT WARRANTED AND CAN ONLY BE ASSESSED AFTER FURTHER EXAMINATION AND VERIFICATION OF SAME REQUIREMENTS AND PROCUREMENT OF JURISDICTIONAL APPROVALS.
 - THIS CONCEPT PLAN IS PREPARED FOR CONCEPTUAL PRESENTATION PURPOSES ONLY AND IS NOT INTENDED FOR UTILIZATION AS A ZONING AND/OR CONSTRUCTION DOCUMENT. THE EXISTING CONDITIONS SHOWN HEREON ARE BASED UPON INFORMATION THAT WAS SUPPLIED TO OUR OFFICE AT THE TIME OF PLAN PREPARATION AND MAY BE SUBJECT TO CHANGE AND MUST BE UPDATED UPON PERFORMANCE OF ADDITIONAL DUE DILIGENCE.

SITE CALCULATIONS

APN 30-00-14124-00-3 33,450 SF
 APN 30-00-14128-00-8 11,150 SF
 CONSOLIDATED BASE SITE AREA: 44,600 SF
 EASTON ROAD U.L.T. R.O.W.: 2,800 SF
 NET LOT AREA: 41,800 SF

ZONING

EXISTING ZONING: M5-H MAIN STREET HIGH INTENSITY / DENSITY
 PROPOSED USE: C-31 SELF-STORAGE FACILITY (PERMITTED BY RIGHT)



FIGURE 10.18 M5-H DIMENSIONAL REQUIREMENTS (CLASS 2)

	REQUIRED	EXISTING	PROVIDED
DENSITY:	n/a	n/a	n/a
LOT			
MIN. LOT AREA:	30,000 SF	41,800 SF	41,800 SF
MIN. LOT WIDTH:	150.0 FEET	200.0 FEET	200.0 FEET
MIN. GREEN AREA:	35.0%	17.2% (7,119 SF) (ENC) *	28.3% (11,824 SF) *
BUILDINGS ON THE SAME LOT:	n/a	n/a	n/a
MIN. BUILDING SEPARATION:	n/a	100.0%	100.0%
BUILDING SIZE:			
THE LARGEST BUILDING ON LOT MUST HAVE AT LEAST 50% OF ITS FRONT FACADE LOCATED IN THE BUILD-TO-ZONE			
BUILD TO LINE			
MIN:	15.0 FEET	11.5 FEET (ENC)	15.0 FEET
MAX:	25.0 FEET	156.6 FEET (ENC)	15.0 FEET
MAX. DISTANCE FROM CURB WITH STREET WALL AND SHARED PARKING AND STREET ACCESS IN FRONT:	70.0 FEET	156.6 FEET (ENC) **	n/a (NO STREET WALL REQUIRED) **
SETBACKS			
MIN. REAR YARD:	30.0 FEET	18.4 FEET (ENC), 0.0 FEET (ENC)	35.0 FEET, 20.0 FEET (R)
BUILDING SETBACK FROM R1/R2/R3/R4 DISTRICTS:	35.0 FEET	n/a	24.0 FEET (R)
TRASH STORAGE SETBACK FROM R1/R2/R3/R4 PROPERTIES:	55.0 FEET	n/a	n/a
MIN. BUILDING SETBACK FROM R1/R2/R3/R4 PROPERTIES:	20.0 FEET	n/a	n/a
BUILDING			
MAX. BUILDING FOOTPRINT:	n/a	n/a	n/a
MIN. FACADE HEIGHT:	20.0 FEET	12.5 FEET (ENC)	34.0 FEET
MAX. BUILDING HEIGHT:	35.0 FEET	28.8 FEET	34.0 FEET
MIN. WINDOW AREA:	n/a	n/a	n/a
STREET-FACING FACADES:			
GROUND FLOOR:	45.0%	T.B.D.	T.B.D. BY OTHERS
UPPER STORIES:	25.0%	T.B.D.	T.B.D. BY OTHERS
PARKING			
PARKING SETBACK FROM STREET WALL AND LANDSCAPING:	5.0 FEET (FROM COMBINATION OF STREET WALL & LANDSCAPING)	0.0 FEET (ENC) **	n/a (NO STREET WALL REQUIRED) **
MAX. WIDTH, PARKING BETWEEN PRINCIPAL BUILDING AND SIDE LOT LINE FOR BUILDING IN BUILD-TO-ZONE:	70.0 FEET	n/a	46.0 FEET
MIN. PARKING SETBACK FROM ADJUTING R1/R2/R3/R4 PROPERTIES:	20.0 FEET	n/a	n/a
MIN. PARKING SETBACK FROM MS PROPERTIES AND DISTRICTS OTHER THAN R1/R2/R3/R4:	10.0 FEET, IF SHARED PARKING	n/a (NO SHARED PARKING)	n/a (NO SHARED PARKING)
MAX. WIDTH, STREET ACCESS POINT:	35.0 FEET	43.8 FEET (DRIVE AISLE WIDTH) (ENC)	24.0 FEET (DRIVE AISLE WIDTH)
SECTION 2102 USE C-31 REQUIREMENTS			
MAX. HEIGHT OF STORAGE UNIT:	12.0 FEET	n/a	11.33 FEET (1 ST FLOOR TO 2 ND FLOOR, GREATEST HEIGHT CHANGE)
USE C-31:	1 SPACE FOR EVERY 100 UNITS, PLUS ONE SPACE PER EMPLOYEE ON THE LARGEST SHED (T.B.D. UNITS / 100 + T.B.D. EMPLOYEES = TOTAL)	n/a	9 SPACES (ALLOWS FOR 1 EMPLOYEE + 800 UNITS)
SECTION 2310 PARKING LOT FRONTAGE DEVELOPMENT STANDARDS			
MIN. PARKING SETBACK FROM BUILDING:	5.0 FEET	0.0 FEET (ENC)	6.0 FEET
MIN. PEDESTRIAN WALKWAY:	5.0 FEET	0.0 FEET (ENC)	5.3 FEET
MIN. PLANTING STRIP:	3.0 FEET	0.0 FEET (ENC)	3.0 FEET
SECTION 2312 (FIG. 23.2) LOADING REQUIREMENTS			
OTHER USES (AS DEEMED NECESSARY BY THE BOARD OF COMMISSIONERS):			
TOTAL LOADING:	0 BERTHS ***	0 BERTHS (ENC)	0 BERTHS ***
SECTION 2403 B BUFFER REQUIREMENTS			
MIN. BUFFER WIDTH:	15.0 FEET (UNLESS OTHERWISE SPECIFIED)	0.0 FEET (ENC)	4.3 FEET (R)
SECTION 2504 SIDEWALK AND CROSSWALKS			
PUBLIC STREETS:	8.0 FEET	6.3 FEET (ENC)	8.0 FEET
MAIN ACCESS DRIVES:	6.0 FEET	0.0 FEET (ENC)	6.0 FEET
SECTION 1803 STEEP SLOPE CONSERVATION DISTRICT PROTECTION STANDARDS			
B. MIN. PRESERVATION OF PROHIBITIVE SLOPES:	85.0%	100.0%	0.0% (R)
C. MIN. PRESERVATION OF PRECAUTIONARY SLOPES:	75.0%	100.0%	0.0% (R)
(ENC) EXISTING NON-CONFORMITY (R) POTENTIAL RELIEF NEEDED			

NOTES

- * THE CODE DOES PERMIT FOR BONUSES TO REDUCE THE REQUIRED GREEN AREA FROM 35% TO 25%. FURTHER CONVERSATION WITH THE TOWNSHIP IS REQUIRED TO DETERMINE FEASIBILITY OF APPLICABLE BONUSES.
- ** STREET WALL REQUIRED WHEN BUILDING IS MORE THAN 20.0 FEET FROM U.L.T. R.O.W.
- *** PENDING REVIEW BY BOARD OF COMMISSIONERS.

LEGEND



BOHLER ENGINEERING
 SITE CIVIL AND CONSULTING ENGINEERING
 PROGRAM MANAGEMENT
 LANDSCAPE ARCHITECTURE
 SUSTAINABLE DESIGN
 PERMITTING SERVICES
 TRANSPORTATION SERVICES

REVISIONS

REV	DATE	COMMENT	Drawn by	Checked by

811
 Know what's below. Call before you dig.
 PENNSYLVANIA
 YOU MUST CALL 811 BEFORE ANY EXCAVATION WHETHER ITS ON PRIVATE OR PUBLIC LAND. 1-800-244-1778

NOT APPROVED FOR CONSTRUCTION

PROJECT No.: PC181166
 DRAWN BY: JMF
 CHECKED BY: SPA
 DATE: 07/25/2019
 SCALE: AS SHOWN
 CAD I.D.: PC181166 ZONING-D

ZONING PLAN
 FOR
JOHNSON DEVELOPMENT ASSOCIATES, INC.
 PROPOSED STORAGE
 1538 EASTON ROAD
 ABINGTON TOWNSHIP
 MONTGOMERY COUNTY, PA

BOHLER ENGINEERING
 1500 MANOR DRIVE, SUITE 200
 CHALFONT, PA 18914
 Phone: (215) 996-9100
 Fax: (215) 996-9102
 www.BohlerEngineering.com

J.P. ALEJNIKOV
 PROFESSIONAL ENGINEER
 PENNSYLVANIA LICENSE No. PE006400

SHEET TITLE:
ZONING PLAN
 SHEET NUMBER:
1
 REVISION 0 - 2019.07.25

- RELIEF REQUESTED**
- A VARIANCE FROM SECTION 1008 AND FIGURE 10.18 OF THE ZONING ORDINANCE TO PERMIT A SIDE YARD SETBACK OF 20.0 FEET ON THE SUBJECT PROPERTY WHERE 30.0 FEET IS REQUIRED.
 - A VARIANCE FROM SECTION 1008 AND FIGURE 10.18 OF THE ZONING ORDINANCE TO PERMIT A REAR YARD SETBACK OF 24.0 FEET ON THE SUBJECT PROPERTY WHERE 35.0 FEET IS REQUIRED.
 - AN INTERPRETATION THAT LOADING SPACES ARE NOT REQUIRED ON THE SUBJECT PROPERTY PURSUANT TO SECTION 2312 AND FIGURE 23.2 OF THE ZONING ORDINANCE, OR, IN THE ALTERNATIVE, A VARIANCE FROM SECTION 2312 AND FIGURE 23.2 OF THE ZONING ORDINANCE TO NOT PROVIDE VEHICLE LOADING SPACES ON THE SUBJECT PROPERTY.
 - A VARIANCE FROM SECTION 2403.B OF THE ZONING ORDINANCE TO PERMIT A MINIMUM BUFFER WIDTH OF 4.3 FEET ON THE SUBJECT PROPERTY WHERE 15.0 FEET IS REQUIRED.
 - A VARIANCE FROM SECTION 2403.D OF THE ZONING ORDINANCE TO PERMIT 0.0% FOUNDATION PLANT MATERIAL WHERE 25% OF THE LINEAR AREA BETWEEN THE FOUNDATION AND SIDEWALKS, ACCESS DRIVES, OR PARKING AREAS SHALL BE LANDSCAPED WITH ORNAMENTAL OR EVERGREEN TREES AND SHRUBS.
 - A VARIANCE FROM SECTION 1803.B OF THE ZONING ORDINANCE TO PERMIT THE PRESERVATION OF 0.0% OF PROHIBITIVE SLOPES WHERE 85.0% IS REQUIRED.
 - A VARIANCE FROM SECTION 1803.C OF THE ZONING ORDINANCE TO PERMIT THE PRESERVATION OF 0.0% OF PRECAUTIONARY SLOPES WHERE 75.0% IS REQUIRED.
 - A VARIANCE FROM SECTION 1008 AND FIGURE 10.18 OF THE ZONING ORDINANCE TO PERMIT A MINIMUM GREEN AREA OF 28.3% WHERE 35.0% IS REQUIRED.

